

耐久性のある

Taikyū-sei no aru

KOBEWELD

KOBEWELD ASIA STEEL CORPORATION



KOBEWELD ASIA STEEL CORPORATION

Carmen, Cebu, Philippines


耐久性のある
Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

WELDING MACHINE

PRO SERIES

Digital Display



KB-270 PRO

Magnetic Ground



₹9,500.00

MODEL: □	KB-270 <i>PRO</i>
RATED INPUT VOLTAGE (V):	AC220V±10%
INPUT VOLTAGE RANGE (V):	110-280V
FREQUENCY (Hz)	50/60
RATED INPUT CAPACITY (KVA):	5.1
RATED INPUT CURRENT (A)	23
OUTPUT VOLTAGE (V)	75V
DUTY VOLTAGE (V)	60% 270A 100% 210A
RATED OUPUT CURRENT RANGE (A)	20-270A
RATED OUPUT VOLTAGE RANGE (A)	20.8-25.6V
EFFECIENCY(%)	85%
DIMENSION (MM)	205*125*225
N.W.(KG)	3.7
SUITABLE ELECTRODE/WIRE(MM)	1.6/2.5/3.2

耐久性のある
Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

WELDING MACHINE

PRO SERIES

Digital Display



Magnetic Ground



**Free
Auto Darkening Welding Helmet**



¥25,000.00

MODEL:	KB-301S PRO	
RATED INPUT VOLTAGE (V):	AC220V±10% 380V*2P±10%	
INPUT VOLTAGE RANGE (V):	120-560V	
FREQUENCY (Hz)	50/60	
RATED INPUT CAPACITY (KVA):	4.2	6
RATED INPUT CURRENT (A)	20	16
OUTPUT VOLTAGE (V)	78V	70V
SAFE NO-LOAD VOLTAGE (V)	13.5	13.5
DUTY CYCLE (%)	---	60% 160A
	100%-120A	100%-109A
RATED OUPUT CURRENT RANGE (V)	20-120A	20-160A
RATED OUPUT VOLTAGE RANGE (V)	20.8-24 8V	20.8-26 4V
EFFECIENCY(%)	85%	85%
INSULATION CLASS	F	
CASE PROTECTION CLASS	IP23	
DIMENSION (MM)	350*172*290	
N.W.KG)	6	
SUITABLE ELECTRODES/WIRE (MM)	1.6/2.5/3.2/4.0	

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING MACHINE

PRO SERIES

Digital Display



Magnetic Ground



**Free
Auto Darkening Welding Helmet**



₱35,000.00

MODEL:	KB-401S <i>PRO</i>
RATED INPUT VOLTAGE (V):	AC220V $\pm$ 10%
INPUT VOLTAGE RANGE (V):	120-560V
FREQUENCY (Hz)	50/60
RATED INPUT CAPACITY (KVA):	7
RATED INPUT CURRENT (A)	32
OUTPUT VOLTAGE (V)	78V
SAFE NO-LOAD VOLTAGE (V)	13.5
DUTY CYCLE (%)	---
	100% 180A
RATED OUPUT CURRENT RANGE (V)	20-180A
RATED OUPUT VOLTAGE RANGE (V)	20.8-27.2V
EFFECIENCY(%)	85%
INSULATION CLASS	F
CASE PROTECTION CLASS	IP23
DIMENSION (MM)	465*220*365
N.W.KG)	11.5
SUITABLE ELECTRODES/WIRE (MM)	1.6/2.5/3.2/4.0/5.0

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING MACHINE

PRO SERIES

Digital Display



Magnetic Ground



**Free
Auto Darkening Welding Helmet**



₱45,000.00

MODEL:	KB-501S PRO
AMPERES:	500 AMPERES
VOLTAGE:	220V, DUAL PHASE 440V, 3 PHASE
ACCESSORIES:	
1) WELDING CABLE	3M
2) EARTH CABLE	2M
3) ELECTRODE HOLDER	1PC
4) MAGNETIC GROUND CLAMP	1PC
5) THREAD CONNECTORS	2PCS

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING MACHINE

PRO SERIES

Digital Display



Magnetic Ground



**Free
Auto Darkening Welding Helmet**



₱20,000.00

MODEL:	KB-251i PRO	
WORKING FUNCTION	MIG	MMA
RATED INPUT VOLTAGE (V):	1P.AC220V+10%	
FREQUENCY (Hz)	50/60	
RATED INPUT CAPACITY (KVA):	8	7
RATED INPUT CURRENT (A)	36	36
NO-LOAD OUTPUT VOLTAGE (V)	60	60
RATED OUTPUT CURRENT (A)	1200	160
DUTY CYCLE (%)	60%	60%
RATED OUPUT CURRENT RANGE (A)	60-200	30-160
RATED OUPUT VOLTAGE RANGE (V)	17-24	21.2-26.4
INSULATION CLASS	F	
CASE PROTECTION CLASS	IP21S	
DIMENSION (MM)	455*185*338	
POWER SOURCE N.W (KG)	12	
SUITABLE WELDING THICKNESS	0.6-6MM	
SUITABLE ELECTRODES/WIRE (MM)	2.5/3.2/4.0	0.8/1.0
WIRE ELECTRODE/WIRE (MM)	3-17	
GAS FLOW RATE (L/MIN)	5-10	

耐久性のある
Taikyū-sei no aru

KOBELWELD
KOBELWELD ASIA STEEL CORPORATION

WELDING MACHINE

PRO SERIES

Digital Display



Magnetic Ground



**Free
Auto Darkening Welding Helmet**



₱95,000.00

MODEL:	KB-MIG 501 <i>PRO</i>	
WORKING FUNCTION	MIG	MMA
RATED INPUT VOLTAGE (V):	AC440V(3P)220V±10%	
FREQUENCY (Hz)	50/60	
RATED INPUT CAPACITY (KVA):	14	15
RATED INPUT CURRENT (A)	26	28
NO-LOAD OUTPUT VOLTAGE (V)	78	
RATED OUTPUT CURRENT (A)	500	
RATED OUPUT VOLTAGE RANGE (V)	16-31.5	22.4-34
DUTY CYCLE (%)	60%	
RATED OUPUT CURRENT RANGE (A)	60-500	
INSULATION CLASS	F	
CASE PROTECTION CLASS	IP21S	
DIMENSION (MM)	625*302*585	
POWER SOURCE N.W (KG)	31	
SUITABLE WELDING THICKNESS	1.0-22MM	

耐久性のある
Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

WELDING MACHINE

PRO SERIES

Digital Display



Magnetic Ground



**Free
Auto Darkening Welding Helmet**



₱70,000.00

MODEL:	KB-MIG 350 <i>PRO</i>	
WORKING FUNCTION	MIG	MMA
RATED INPUT VOLTAGE (V):	220V $\pm$ 10%	
FREQUENCY (Hz)	50/60	
RATED INPUT CAPACITY (KVA):	14	15
RATED INPUT CURRENT (A)	26	28
NO-LOAD OUTPUT VOLTAGE (V)	63	
RATED OUTPUT CURRENT (A)	350	
RATED OUTPUT VOLTAGE RANGE (V)	21-30.8%	60-270%
DUTY CYCLE (%)	60%	
RATED OUTPUT CURRENT RANGE (A)	60-500	
INSULATION CLASS	F	
CASE PROTECTION CLASS	IP21S	
DIMENSION (MM)	625*302*585	
POWER SOURCE N.W (KG)	28	
SUITABLE WELDING THICKNESS	0.6-10MM	

耐久性のある
Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

WELDING MACHINE

PRO SERIES

Digital Display



Magnetic Ground



**Free
Auto Darkening Welding Helmet**



₱125,000.00

MODEL:	MIG-DP 500PRO
AMPERES:	500 AMPERES
VOLTAGE:	220V, DUAL PHASE
ACCESSORIES:	
1) WELDING CABLE	3M
2) EARTH CABLE	2M
3) ELECTRODE HOLDER	1PC
4) MAGNETIC GROUND CLAMP	1PC
5) QUICK CONNECTORS	2PCS

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING MACHINE

WATER PROOF

Free
Auto Darkening Welding Helmet



₱12,000.00

MODEL:	KB-270 PRO
RATED INPUT VOLTAGE (V)	AC220V+10%
INPUT VOLTAGE RANGE (V)	110-280V
FREQUENCY (Hz)	50/60
RATED INPUT CAPACITY (KVA):	5.1
RATED INPUT CURRENT (A)	23
OUTPUT VOLTAGE (V)	75V
SAFE NO-LOAD VOLTAGE (V)	---
DUTY CYCLE (%)	60% 270A 100% 210A
RATED OUPUT CURRENT RANGE (A)	20-270A
RATED OUTPUT VOLTAGE RANGE (V)	20.8-25.6V
EFFECIENCY (%)	85%
INSULATION CLASS	F
CASE PROTECTION CLASS	IP23
DIMENSION (MM)	205*125*225
N.W.(KG)	3.7
SUITABLE ELECTRODE/WIRE(MM)	1.6/2.5/3.2

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING MACHINE

WATER PROOF

Free
Auto Darkening Welding Helmet



₱12,000.00

MODEL:	KB-270S <i>PRO</i>
RATED INPUT VOLTAGE (V)	AC220V+10%
INPUT VOLTAGE RANGE (V)	120-560V
FREQUENCY (Hz)	50/60
RATED INPUT CAPACITY (KVA):	5.1
RATED INPUT CURRENT (A)	23
OUTPUT VOLTAGE (V)	60V
SAFE NO-LOAD VOLTAGE (V)	---
DUTY CYCLE (%)	60% 270A 100% 210A
RATED OUPUT CURRENT RANGE (A)	20-270A
RATED OUTPUT VOLTAGE RANGE (V)	20.8-25.6V
EFFEICIENCY (%)	85%
INSULATION CLASS	F
CASE PROTECTION CLASS	IP23
DIMENSION (MM)	205*125*225
N.W.(KG)	4
SUITABLE ELECTRODE/WIRE(MM)	1.6/2.5/3.2

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING MACHINE

WATER PROOF

*Free
Auto Darkening Welding Helmet*



₱25,000.00

MODEL:	KB 301
AMPERES:	300 AMPERES
VOLTAGE:	220V, 1PHASE
ACCESSORIES:	
1) WELDING CABLE	3M
2) EARTH CABLE	2M
3) ELECTRODE HOLDER	1PC
4) EARTH CLAM	1PC
5) THREAD CONNECTORS	2PC

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING MACHINE

WATER PROOF

Free
Auto Darkening Welding Helmet



₱35,000.00

MODEL:	KB-301S PRO
RATED INPUT VOLTAGE (V)	AC220V+10%
INPUT VOLTAGE RANGE (V)	120-560V
FREQUENCY (Hz)	50/60
RATED INPUT CAPACITY (KVA):	5.1
RATED INPUT CURRENT (A)	23
OUTPUT VOLTAGE (V)	60V
SAFE NO-LOAD VOLTAGE (V)	---
DUTY CYCLE (%)	60% 270A 100% 210A
RATED OUPUT CURRENT RANGE (A)	20-270A
RATED OUTPUT VOLTAGE RANGE (V)	20.8-25.6V
EFFECIENCY (%)	85%
INSULATION CLASS	F
CASE PROTECTION CLASS	IP23
DIMENSION (MM)	205*125*225
N.W.(KG)	4
SUITABLE ELECTRODE/WIRE(MM)	1.6/2.5/3.2

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING MACHINE

WATER PROOF

Free
Auto Darkening Welding Helmet



¥45,000.00

MODEL:	KB-401S <i>PRO</i>
RATED INPUT VOLTAGE (V)	AC220V+10%
INPUT VOLTAGE RANGE (V)	120-560V
FREQUENCY (Hz)	50/60
RATED INPUT CAPACITY (KVA):	7
RATED INPUT CURRENT (A)	32
OUTPUT VOLTAGE (V)	78V
SAFE NO-LOAD VOLTAGE (V)	13.5
DUTY CYCLE (%)	---
	100% 180A
RATED OUPUT CURRENT RANGE (A)	20-180A
RATED OUTPUT VOLTAGE RANGE (V)	20.8-27.2V
EFFECIENCY (%)	85%
INSULATION CLASS	F
CASE PROTECTION CLASS	IP23
DIMENSION (MM)	465*220*365
N.W.(KG)	11.5
SUITABLE ELECTRODE/WIRE(MM)	1.6/2.5/3.2/4.0/5.0

TIG MMAAC/DC WITH PULSE

*Free
Auto Darkening Welding Helmet*



₱75,000.00

MODEL:	TIG-315P
RATED INPUT VOLTAGE (V)	AC220V+10%
RATED INPUT CURRENT (A)	TIG: 11 MMA: 16
RATED OUTPUT VOLTAGE (V)	TIG: 21 MMA: 31
RATED OUTPUT CURRENT (A)	315
NO-LOAD VOLTAGE (V)	45
CURRENT ADJUSTING RANGE (A)	15-315
DUTY CYCLE (%)	60
ARC STARTING	HF
DIMENSION (MM)	585*280*490
N.W.(KG)	30

耐久性のある
Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

WELDING MACHINE

TIG

TIG WELDING MACHINE

*Free
Auto Darkening Welding Helmet*



₱25,000.00

MODEL:	KB-TIG 250WIG-201
AMPERES:	250 AMPERES
VOLTAGE:	220V, 1PHASE
ACCESSORIES:	
1) TIG TORCH	1PC
2) GROUND WIRE	2 METERS
3) EARTH CLAMP	1PC
4) QUICK CONNECTORS	2PC
IGBT IC	

耐久性のある
Taikyū-sei no aru

KOBELWELD
KOBELWELD ASIA STEEL CORPORATION

WELDING MACHINE

TIG

CAPACITOR DISCHARGER STUD WELDER

*Free
Auto Darkening Welding Helmet*



₱65,000.00

MODEL:	RSR-1600
---------------	----------

INPUT VOLTAGE:	200V
-----------------------	------

OUTPUT VOLTAGE:	20-220V
------------------------	---------

INPUT CURRENT:	2.3A
-----------------------	------

WELDING RANGE:	M3-M6MM
-----------------------	---------

WELDING SPEED:	10-30 PCS/MIN
-----------------------	---------------

SUITABLE STUD:	M3-M6
-----------------------	-------

FUSE	25A
-------------	-----

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING MACHINE

TIG

CAPACITOR DISCHARGER STUD WELDER

*Free
Auto Darkening Welding Helmet*



₱75,000.00

MODEL:	RSR-2500
INPUT VOLTAGE:	200V
OUTPUT VOLTAGE:	20-220V
INPUT CURRENT:	2.3A
WELDING RANGE:	M3-M8MM
WELDING SPEED:	10-30 PCS/MIN
SUITABLE STUD:	M3-M8
CAPACITY:	500VA
FUSE	25A

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING - CUTTING MACHINE

IGBT AIR PLASMA CUT INVERTER

Free
Auto Darkening Welding Helmet



₱56,250.00

MODEL:	KB-CUT 70
VOLTAGE:	220V, 1 PHASE
CUTTING THICKNESS:	<18MM
ACCESSORIES:	
1) CUTTING TORCH	1PC
2) GROUND WIRE	2 METERS
3) EARTH CLAMP	1PC
4) REDUCING VALVE	1PC
5) QUICK CONNECTORS	2PC
IGBT IC	

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING - CUTTING MACHINE

IGBT AIR PLASMA CUT INVERTER

Free
Auto Darkening Welding Helmet



₱80,000.00

MODEL:	KB-CUT 101
VOLTAGE:	220V, 1 PHASE
CUTTING THICKNESS:	<30MM
ACCESSORIES:	
1) CUTTING TORCH	1PC
2) GROUND WIRE	2 METERS
3) EARTH CLAMP	1PC
4) REDUCING VALVE	1PC
5) QUICK CONNECTORS	2PC
IGBT IC	

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING – CUTTING MACHINE

IGBT AIR PLASMA CUT INVERTER

Free
Auto Darkening Welding Helmet



₱95,000.00

MODEL:	KB CUT-81CW
WELDING CAPACITY:	300A
VOLTAGE:	220V, 1 PHASE 440V, 3 PHASE
CUTTING THICKNESS:	<25MM
ACCESSORIES:	
1) CUTTING TORCH	1PC
2) GROUND WIRE	2 METERS
3) EARTH CLAMP	1PC
4) REDUCING VALVE	1PC
5) QUICK CONNECTORS	2PCS
6) ELECTRODES HOLDER W/CABLE	
IGBT IC	

耐久性のある
Taikyū-sei no aru

KOBWELD
KOBWELD ASIA STEEL CORPORATION

WELDING – CUTTING MACHINE

PLASMA INVERTER CUTTING MACHINE

*Free
Auto Darkening Welding Helmet*



₱28,750.00

MODEL:	KB-CUT 40
VOLTAGE:	220V, 1 PHASE
CUTTING THICKNESS:	<12MM
ACCESSORIES:	
1) CUTTING TORCH	1PC
2) GROUND WIRE	2 METERS
3) EARTH CLAMP	1PC
4) REDUCING VALVE	1PC
5) QUICK CONNECTORS	2PC

耐久性のある
Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

WELDING - CUTTING MACHINE

IGBT AIR PLASMA CUT INVERTER

Free
Auto Darkening Welding Helmet



₱21,000.00

MODEL:	CUT-40 + KB-270
AMPERES:	200A WELDING
VOLTAGE:	220V, 1 PHASE
CUTTING THICKNESS:	<16MM
CUTTING THICKNESS:	<25MM
ACCESSORIES:	
1) WELDING CABLE	3M
2) EARTH CABLE	2M
3) ELECTRODE HOLDER	1PC
4) EARTH CLAMP	1PC
5) QUICK CONNECTORS	4PCS
6) PLASMA TORCH	1 SET

耐久性のある
Taikyū-sei no aru

KOBELWELD
KOBELWELD ASIA STEEL CORPORATION

WELDING – CUTTING MACHINE

IGBT AIR PLASMA CUT INVERTER

Free
Auto Darkening Welding Helmet



₱135,000.00

MODEL:	KB-CUT 201 PRO	
INPUT VOLTAGE (V)	440V/3P±10%	220V/1P+10%
FREQUENCY (HZ)	50Hz/60Hz	
INPUT CAPACITY (KVA)	23KVA	16.5KVA
MAXIMUM INPUT CURRENT	35A	75A
NO-LOAD VOLTAGE (V)	275V	275V
CURRENT ADJUST RANGE (A)	50-100A	35-70A
DUTY CYCLE	60%	60%
WORKING AIR PRESSURE (MPA)	0.3-0.5	
CASE PROTECTION DEGREE	IP21S	
ARC STARTING	NON CONTACT	
CUTTING THICKNESS (CARBON STEEL)	<35MM	<25MM
DIMENSION (LxWxH)	460*220*365MM	

耐久性のある
Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

WELDING – CUTTING MACHINE

IGBT AIR PLASMA CUT INVERTER

*Free
Auto Darkening Welding Helmet*




₱156,250.00

MODEL:	KB CUT-81CW
WELDING CAPACITY	300A
VOLTAGE:	220V, 1 PHASE 440V, 3 PHASE


CUTTING THICKNESS ACCESSORIES

1) CUTTING TORCH	1 PC
2) GROUND WIRE	2 METES
3) EARTH CLAMP	1 PC
4) REDUCING VALVE	1 PC
5) QUICK CONNECTORS	2 PCS
6) ELECTRODE HOLDER W/CABLE IGBT IC	

SOFT RAIL WELDING CARRIAGE



Controller



Welding Torch Holder

Welding Carriage



Flexible Rail Guide

Functions:

- Reduce labor intensity and improve working environment.
- Improve work efficiency.
- Avoid the quality of welds caused by human factors.
- High degree of automation to ensure the stability of welding quality.
- No skilled workers are required.

Applications:




TECHNICAL DATA

WELDING CARRIAGE	MODEL	Z10-100R
	POWER	AC 220V
	DIMENSION	270*340*300
	WEIGHT	13Kg
	MOVE	Driven by Gear
	TRAVEL SPEED	0-1000mm/min
WELDING TORCH	ADJUSTMENT RANGE	Up and Down 55mm Forward and Backward 55mm Working Angle Adjustment Range $\pm 45^\circ$ Distance of Welding Torch 80-120mm
	OPERATING FUNCTION	Power Light, Walking Start/Stop Walking Direction, Walking Speed Welding/Non-Welding operation

₱125,000.00

GWT-01 STANDARD



₱95,000.00

MODEL	KOBE-HANDY MULTI NEXT	KOBE-HANDY MULTI NEXT TRACK	KOBE-HANDY MULTI NEXT WEAVING
DRIVING SYSTEM	4 WHEEL DRIVING		
TRACTION	HORIZONTAL FILLET 16KG (STANDARD MAGNET/STRONG MAGNET) INFERIOR FILLET 16KG (INCLUDING BODY WEIGHT)		
GAP (FLOOR-BOTTOM)	5.5MM		
MAGNET UP AND DOWN	MAGNET RELEASE/LIGHT ACTION LEVER AT BODY SIDE		
MAGNET TYPE	PERMANENT MAGNET (STANDARD 20KG, STRONG 50KG)	PERMANENT MAGNET (STRONG 50KG)	
TRAVEL SPEED	50-1500 MM/MIN		
TRACKING METHOD	VERTICAL TRACKING BY GUIDE/EDGE TRACKING BY GUIDE ROLLER		
APPLICABLE POSTURE	HORIZONTAL FILLET & INFERIOR FILLET BY STRONG MAGNET	HORIZONTAL FILLET & INFERIOR FILLET	
START INTERLOCKING WELDING	○		
AUTOMATIC STOP BY LIMIT SWITCH	○		
ARC TEST	○		
ARC STABILIZATION TIME (SEC)	-	0 - 10.0	
CRATER CURRENT CORRESPONDENCE	-	○	
TACK	-	○	
WEAVING SPEAD (MM/MIN)	-	400 - 1500	
WEAVING WIDTH (MM)	-	0.0 - 100.0	
WEAVING STOP TIME LEFT, MIDDLE, RIGHT (SEC)	-	0.0 - 10.0	
BODY WEIGHT (KG)	8.5 (8.7KG FOR STRONG MAGNET TYPE)	8.8	10.8
DIMENSIONS	280*280*250		310*210*250
INPUT POWER SUPPLY	SINGLE PHASE AC100-240V 50HZ/60HZ		

GWT-03 WEAVING



¥105,000.00

MODEL	KOBE-HANDY MULTI NEXT	KOBE-HANDY MULTI NEXT TRACK	KOBE-HANDY MULTI NEXT WEAVING
DRIVING SYSTEM	4 WHEEL DRIVING		
TRACTION	HORIZONTAL FILLET 16KG (STANDARD MAGNET/STRONG MAGNET) INFERIOR FILLET 16KG (INCLUDING BODY WEIGHT)		
GAP (FLOOR-BOTTOM)	5.5MM		
MAGNET UP AND DOWN	MAGNET RELEASE/LIGHT ACTION LEVER AT BODY SIDE		
MAGNET TYPE	PERMANENT MAGNET (STANDARD 20KG, STRONG 50KG)	PERMANENT MAGNET (STRONG 50KG)	
TRAVEL SPEED	50-1500 MM/MIN		
TRACKING METHOD	VERTICAL TRACKING BY GUIDE/EDGE TRACKING BY GUIDE ROLLER		
APPLICABLE POSTURE	HORIZONTAL FILLET & INFERIOR FILLET BY STRONG MAGNET	HORIZONTAL FILLET & INFERIOR FILLET	
START INTERLOCKING WELDING	○		
AUTOMATIC STOP BY LIMIT SWITCH	○		
ARC TEST	○		
ARC STABILIZATION TIME (SEC)	-	0 - 10.0	
CRATER CURRENT CORRESPONDENCE	-	○	
TACK	-	○	
WEAVING SPEAD (MM/MIN)	-	400 - 1500	
WEAVING WIDTH (MM)	-	0.0 - 100.0	
WEAVING STOP TIME LEFT, MIDDLE, RIGHT (SEC)	-	0.0 - 10.0	
BODY WEIGHT (KG)	8.5 (8.7KG FOR STRONG MAGNET TYPE)	8.8	10.8
DIMENSIONS	280*280*250		310*210*250
INPUT POWER SUPPLY	SINGLE PHASE AC100-240V 50HZ/60HZ		

耐久性のある

Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

ROBOT WELDING SERIES

KBI-BR2110A 6 AXIS ROBOT WELDER

⊕ ACURATE
POSITIONING

⚠ LOW FAILURE RATE

⚡ FAST

👷 REDUCE LABOR

⌚ LONG SERVICE LIFE

📡 TELECOMMUNICATION



₱1,500,000.00

ITEMS

BODY PARAMETERS

CONTENTS

UNIT VALUE

MAXIMUM OPERATING RADIUS 2100MM

MAX LOADING 10KG

REPEAT POSITIONING ACCURA +0.05MM

IP CODE

BODY IP 50 ; WRIST IP 54

MOTION RANGE

WEIGHT

ABOUT 230KG

J1

155

J2

90°(-140°)~65°

J3

75°~+110°

J4

180°

J5

115°

MOTION RANGE

J6

360°

J1

110°/S

J2

146°/S

J3

134°/S

J4

273°/S

J5

300°/S

J6

336°/S

TIG WELDING MACHINE

Free
Auto Darkening Welding Helmet



¥130,000.00

MODEL:	KBI-TIG 230 AC/DC			
INPUT POWER	1~110-120/130 $\pm$ 10% 50/60 HZ 1~220/230/240 $\pm$ 10% 50/60HZ			
RATED INPUT CURRENT (A)	30	27	32	27
RATED INPUT POWER(KW)	2.6	2.3	5.8	4.9
DUTY CYCLE	35%	35%	35%	
	110A	140A	200A	
	60%	60%	60%	
	84A	107A	153A	
	100%	100%	100%	
	65A	83A	136A	35% 230A
ADJUSTMENT RANGE OF WELDING CURRENT (A)	10!110	2~140	10~200	2~230
POWER FACTOR	0.99			
NO-LOAD VOLTAGE (V)	108			
EFFICIENCY	$\geq$ 80%			
INSULATION CLASS	IP23S			
PROTECTION CLASS	H			
COOLING	AF			
DIMENSION	680X210X395			
NET WEIGHT (Kg)	20.6			

KB-72W WELDING ROBOT CARRIAGE



-  **WELDING**
-  **OPTIONAL OXY-FUEL**
-  **OPTIONAL PLASMA**
-  **OPTIONAL WEAVER**

¥125,000.00

MODEL	KB-72W
TRAVEL SPEED	20-600 mm/min
GUIDING METHOD	Magnetic detachable type
DRIVING METHOD	Rack and pinion
TORCH ADJUSTMENT	Up/down 45 mm
TORCH ADJUSTMENT	Forward/Backward 45 mm
TORCH HOLDER DIA.	16-20 mm
AUTOMATIC STOP FUNCTION	Limit switch on each of carriage
WEAVING UNIT	Included
WELDING METHOD	Cont., Tack/Stitch welding. Weaving/oscillation standard
POWER & SIGNAL CABLE	Power and signal integrated. Y-branch cable
TORCH HOLDER DIA.	16-20 mm
POSITION ADJUSTMENT BY LIMIT SWITCH	Yes
ENCODER MOTOR FOR PRECISE SPEED CONTROL	Yes
DIGITAL DISPLAY	Yes
CRATER FILL FUNCTION	Yes
INPUT POWER	DC24V

KB-200 KV-LCD



- Generator Friendly-**
Suitable for use with generators.
- Digital Control System-**
The welding parameter can be controlled easier and more precise.
- Friendly User Interface-**
3.0 inch color screen for power source.
- Smart FAN-**
Reduce power consumption and the intake of dust and fumes.
- Power Input-**
Standard single phase 1-220V 50/60Hz power supply.
- VRD output=14.5v-**
When VRD mode is on the output voltage is only at 14.vV. It's absolutely safe for welders.



₱95,000.00

POWER SUPPLY VOLTAGE

EFFECTIVE CURRENT

RATED INPUT POWER

RATED INPUT CURRENT

DUTY CYCLE

NO LOAD VOLTAGE

WELDING CURRENT RANGE

EFFECTICIENCY

POWER FACTOR

INSULATION CLASS

PROTECTION CLASS

DIMENSIONS

WEIGHT

ELECTRODE DIAMETER

MMA	LIFT
23A	23A
8.4KW	6.6KW
46A	36A
100%	100A
70V	
10-200A	
80%	
0.75	
H	
IP 21S	
290*145*220MM	
4.2KG	
1.6-5.0MM	

耐久性のある
Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

LASER WELDING MACHINE

PRATE NAME	LASER WATER COOLER
TYPE	BY-1500 HSC
INPUT VOLTAGE	AC220/50HZ
COLD INTERMEDIARY	R410A
COLD INTERMEDIARY INJECT VOLUME	0.45KG
WATERPUMP DISTANCE	25M
MAX VOLUME	581/MIN
RATED POWER	1/2KW
WATER CAPACITY	12L



¥500,000.00

LASER WELDER

MFSC-1500W	MIN.	NOM.	MAX.
OPERATING VOLTAGE	200V	220V	240V
INPUT POWER			6.0KW
OPERATING AMBIENT TEMP.	10°C		40°C
OPERATING AMBIENT RELATIVE HUMIDITY	10%		85%
LASER COOLING METHOD	PHASE CHANGE HEAT DISSIPATION		
COOLING METHOD OF TIP	INERT GAS COOLING		
STORAGE TEMPERATURE	-10°C		60°C
DIMENSIONS	667*276*542		
WEIGHT	39KG		



WIRE FEEDER

MODEL	DM-BWT16
VOLTAGE	DC24V
PHASE	SIMPLEX
MOTOR	DC PERMANENT MAGNET
ROTATING SPEED	1200RPM (OPTIONAL)
WIRE SIZE	0.8/1.0/1.2/1.6MM
WIRE FEED SPEED	0.1-18M/MIN (OPTIONAL)
DIMENSIONS	440*250*580MM
WEIGHT	15KG

KB-20 (BW) WELDING MACHINES LIQUID COOLING SYSTEM

MODEL	KB-20 (BW)
SUPPLY VOLTAGE	1P, 220V, 50HZ
RATED INPUT POWER	131W
COOLING POWER (1L/min)	1.8KW
SUCTION	5M
RATED PRESSURE (Mpa)	0.42
RATED FLOW	3
WATER CAPACITY (L)	20
ENCLOSURE PROTECTION DEGREE	IP21
ENCLOSURE PROTECTION DEGREE	56*40*47cm
DIMENSION	59*45*53cm
N.W (kg)	25
G.W (kg)	25



¥30,000.00

耐久性のある
Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

LASER WELDING MACHINE

LASER WELDER

MFSC-1500W	MIN.	NOM.	MAX.
OPERATING VOLTAGE	200V	220V	240V
INPUT POWER			6.0KW
OPERATING AMBIENT TEMP.	10°C		40°C
OPERATING AMBIENT RELATIVE HUMIDITY	10%		85%
LASER COOLING METHOD	PHASE CHANGE HEAT DISSIPATION		
COOLING METHOD OF TIP	INERT GAS COOLING		
STORAGE TEMPERATURE	-10°C		60°C
DIMENSIONS	667*276*542		
WEIGHT	39KG		



WIRE FEEDER

MODEL	DM-BWT16
VOLTAGE	DC24V
PHASE	SIMPLEX
MOTOR	DC PERMANENT MAGNET
ROTATING SPEED	1200RPM (OPTIONAL)
WIRE SIZE	0.8/1.0/1.2/1.6MM
WIRE FEED SPEED	0.1-18M/MIN (OPTIONAL)
DIMENSIONS	440*250*580MM
WEIGHT	15KG

¥500,000.00

KB-1530AH CNC(C) CUTTING MACHINE



¥225,000.00

MODEL	KB-1530AH
SUPPLY VOLTAGE	AC 110/220V, 50/60HZ
EFFECTIVE CUTTING WIDTH	1500mm
LONGITUDUAL RAIL LENGTH	STANDARD LENGTH 3500mm
EFFECTIVE CUTTING LENGTH	STANDARD LENGTH 3000mm
CUTTING SPEED	0-2000 mm/min
CUTTING THICKNESS	5-150mm (Flame) depends on plasma power
CUTTING GAS	OXYGEN+ACETYLENE OR PROPANE

COMET TYPE

CUTTING OUTFIT
BLOWPIPE CUTTING ATTACHMENT
CUTTING NOZZLE #41, 6, 8, 12, 15
WELDING NOZZLE #810, 12, 15,20
HEATING TIP 8X12HT
OXYGEN & ACETYLENE REGULATOR
OXY+ACE REGULATOR FLASHBACK ARRESTOR
OXY+ACE RTORCH FLASHBACK ARRESTOR
TWIN HOSE T GRADE-7.5M W/FITTINGS
TIP CLEANER, SPARK, LIGHTER, SPANNER
GOGGLES, CIRCLE CUTTING ATTACHMENTS
MANUAL



₱16,000.00

HARRIS TYPE

CUTTING OUTFIT
BLOWPIPE CUTTING ATTACHMENT
CUTTING NOZZLE #41, 6, 8, 12, 15
WELDING NOZZLE #810, 12, 15,20
HEATING TIP 8X12HT
OXYGEN & ACETYLENE REGULATOR
OXY+ACE REGULATOR FLASHBACK ARRESTOR
OXY+ACE RTORCH FLASHBACK ARRESTOR
TWIN HOSE T GRADE-7.5M W/FITTINGS
TIP CLEANER, SPARK, LIGHTER, SPANNER
GOGGLES, CIRCLE CUTTING ATTACHMENTS
MANUAL



₱16,000.00

GAS CUTTING OUTFIT HARRIS TYPE

CUTTING OUTFIT
BLOWPIPE CUTTING ATTACHMENT
CUTTING NOZZLE #41, 6, 8, 12, 15
WELDING NOZZLE #810, 12, 15,20
HEATING TIP 8X12HT
OXYGEN & ACETYLENE REGULATOR
OXY+ACE REGULATOR FLASHBACK ARRESTOR
OXY+ACE RTORCH FLASHBACK ARRESTOR
TWIN HOSE T GRADE-7.5M W/FITTINGS
TIP CLEANER, SPARK, LIGHTER, SPANNER
GOGGLES, CIRCLE CUTTING ATTACHMENTS
MANUAL



₱16,000.00

HARRIS TYPE - PLASTIC CASE

CUTTING OUTFIT
BLOWPIPE CUTTING ATTACHMENT
CUTTING NOZZLE
WELDING NOZZLE
HEATING TIP 8X12HT
OXYGEN & ACETYLENE REGULATOR
TWIN HOSE T GRADE-7.5M W/FITTINGS
TIP CLEANER, SPARK, LIGHTER, SPANNER
GOGGLES, CIRCLE CUTTING ATTACHMENTS
MANUAL



₱7,500.00

MAGNETIC PIPE GAS CUTTING MACHINE


WEIGHT	14.5KGS
DIMENSION	305*310*180MM
POWER	220V/50HZ
CUTTING SPEED	50-70MM/MIN
CUTTING THICKNESS	60-50MM
GROOVE ANGLE	0-45



₱82,500.00

IK-12 STRAIGHT CUTTING MACHINE

MODEL	IK-12 BEETLE
CUTTING THICKNESS	5-500MM STANDARD ACCESS
CUTTING SPEED	150-800MM/MIN
TOTAL LENGTH	360MM
TRACK WIDTH	160MM
WEIGHT	(1 TORCH) 9.5KGS, (2 TORCH) 13KGS



₱37,500.00

GAS CUTTING MACHINE

MODEL	KOBWELD IK-12 BEETLE
CUTTING THICKNESS	5-50MM STANDARD ACCSS.
CUTTING SPEED	150-800MM/MIN
TOTAL LENGTH	360MM
TRACK WIDTH	160MM
WEIGHT	(1TORCH): 9.5KGS, (2 TORCH) :13KGS
INCLUSION	RAILS



₱35,000.00

耐久性のある
Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

ACCESSORIES

MODEL	PRESURE RANGE	INLET CONNECTION	SOUTH PACIFIC	INDONESIA	MALAYSIA	PHILIPPINES
OXYGEN	800kPa	Type 10 VI	210222		201005	
		Type 10 SI	201000	201014		
		CGA 540 SI				201001
ACETYLENE	150Pa	Type 20 VI	210223		201006	
		Type 20 SI		201015		
		CGA 300 SI				201002
LPG	400kPa	CGA 510 SI	201003	201018	201009	201016
ARGON	40LPM	Type 10 VI	210254			
		Type 10 SI	201010	201017	201007	
CO2	20LPM	201008	201008	201013	201013	

ACETYLENE



₱3,000.00

OXYGEN



₱3,000.00

OXY-ACE TWIN HOSE



₱10,500.00

EARTH CLAMP



₱345.00

PLASTERING HOSE



₱31,680.00

FLASHBACK ARRESTOR



₱3,200.00

CUTTING ATTACHMENT



₱4,200.00

TORCH HANDLE



₱4,200.00

WELDING CABLE



SIZE:

100 MM/ROLE

₱160.00

150 MM/ROLE

₱280.00

150 MM/ROLE

₱320.00

ELECTRODE HOLDER AMPERS



300 AMPERS

₱650.00

500 AMPERS

₱750.00

WELDING JACKET



₱850.00

WELDING LEGGINGS



₱850.00

METAL MARKER



₱230.00

WELDING GLOVES



₱380.00

耐久性のある
Taikyū-sei no aru

KOBEWELD
KOBEWELD ASIA STEEL CORPORATION

WELDING APPARELS

WELDING APRON



₱450.00

AUTO DARKENING MASK



₱2,500.00



CUTTING DISC

ITEM	DESCRIPTION	PACKAGING	SRP	CODE	PROMO
KOBEWELD CUTTING DISC 4" ULTRATHIN INOX (107 x 1.2 x 16)	CUTTING WHEEL FOR INOX, T41, 80M/S, 2 NETS	50PCS/BOX	40/PC.	H	100+10 500+100 1000+250
KOBEWELD CUTTING DISC 4" (100 x 3.0 x 16)	CUTTING WHEEL FOR INOX, T41, 80M/S, 2 NETS	50PCS/BOX	40/PC.	PO	100+10 500+100 1000+250
KOBEWELD CUTTING DISC 4" ULTRATHIN INOX(180 x 2.0 x 22)	CUTTING WHEEL FOR METAL, T41, 80M/S, 2 NETS	50PCS/BOX	80/PC.	OG	100+10 500+100 1000+250
KOBEWELD CUTTING DISC 4" (180 x 3.0 x 22)	CUTTING WHEEL FOR METAL, T41, 80M/S, 2 NETS	50PCS/BOX	110/PC.	WO	100+10 500+100 1000+250
KOBEWELD CUTTING DISC 4" (350 x 3.0 x 25.4)	CUTTING WHEEL FOR METAL, T41, 80M/S, 2 NETS	50PCS/BOX	375/PC.	PTP	25+1 50+5 100+15



FLAP DISC

ITEM	DESCRIPTION	PACKAGING	SRP	CODE
KOBOWELD CUTTING DISC 4" GRIT # 36	(100 X 16) FLAP DISC FOR STEEL/WOOD	20PCS/ ^{BOX}	70/ ^{PC.}	PH
KOBOWELD CUTTING DISC 4" GRIT # 60	(100 X 16) FLAP DISC FOR STEEL/WOOD	20PCS/ ^{BOX}	75/ ^{PC.}	PI
KOBOWELD CUTTING DISC 4" GRIT # 80	(100 X 16) FLAP DISC FOR STEEL/WOOD	20PCS/ ^{BOX}	75/ ^{PC.}	PI
KOBOWELD CUTTING DISC 4" GRIT # 100	(100 X 16) FLAP DISC FOR STEEL/WOOD	20PCS/ ^{BOX}	80/ ^{PC.}	PI
KOBOWELD CUTTING DISC 4" GRIT # 120	(100 X 16) FLAP DISC FOR STEEL/WOOD	20PCS/ ^{BOX}	85/ ^{PC.}	PI
KOBOWELD CUTTING DISC 4" GRIT # 36 INOX	(100 X 16) FLAP DISC FOR STAINLESS STEEL/INOX	20PCS/ ^{BOX}	110/ ^{PC.}	OE
KOBOWELD CUTTING DISC 4" GRIT # 60 INOX	(100 X 16) FLAP DISC FOR STAINLESS STEEL/INOX	20PCS/ ^{BOX}	110/ ^{PC.}	OO



GRINDING DISC

ITEM	DESCRIPTION	PACKAGING	SRP	CODE	PROMO
KOBEWELD CUTTING DISC 4" (100 x 6.0 x 16)	GRINDING WHEEL FOR METAL, T27, 70M/S, 2 NETS	25PCS/BOX	65/PC.	PH	100+10 500+100 1000+250



MIG WIRE ER 705-6

Weight:	15kg	₱1,400.00	15KG	₱1,450.00	15KG	₱1,500.00
Size:	0.8mm		1.0MM		2.0MM	
Weight:	1KG	₱100.00	1KG	₱100.00	1KG	₱100.00
Size:	0.8MM		0.8MM		2.0MM	



FLUX CORED WIRE E71T-1C

Weight:	15KG	₱1,950.00	15KG	₱1,970.00	15KG	₱1,980.00
Size:	0.8MM		1.0MM		1.2MM	
Weight:	1KG	₱130.00	1KG	₱130.00	1KG	₱130.00
Size:	0.8MM		0.8MM		2.0MM	



GASLESS E71T-1GS

Weight: 15KG
Size: 0.8MM **₱2,500.00**

Weight: 1KG
Size: 0.8MM **₱160.00**



STAINLESS

Weight: 12KG
Size: 0.8MM **₱15,000.00**



GASLESS

Weight: 1KG
Size: 0.8MM **₱1,000.00**

耐久性のある
Taikyū-sei no aru
KOBEWELD
KOBEWELD ASIA STEEL CO. LTD.

Welding Electrodes



PRODUCT OF THE PHILIPPINES
Manufactured by:
KOBEWELD ASIA STEEL CO. LTD

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBELWELD 6010

SIZES: (Diameter X Length)

2.5mm X 350	10	₱1,245	₱1,307	₱1,372	₱1,441	₱1,657
3.2mm, 4.0mm, 5.0mm X 350	20	₱2,101	₱2,206	₱2,316	₱2,432	₱2,796



KOBELWELD 6011

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,229	₱1,291	₱1,355	₱1,423	₱1,637
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,039	₱2,140	₱2,247	₱2,360	₱2,714



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 6012**

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,080	₱1,134	₱1,191	₱1,250	₱1,438
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱1,982	₱2,081	₱2,185	₱2,294	₱2,638

**KOBEWELD 6013**

SIZES: (Diameter X Length)

1.6mm X 350mm	10	₱1,960	₱2,058	₱2,161	₱2,269	₱2,610
2.0mm X 350mm	10	₱1,577	₱1,656	₱1,738	₱1,825	₱2,099
4.0mm, 5.0mm X 350mm	20	₱1,901	₱1,996	₱2,096	₱2,200	₱2,530



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBOWELD B-14**

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,556	₱1,634	₱1,716	₱1,801	₱2,072
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,224	₱2,335	₱2,452	₱2,574	₱2,961

**KOBOWELD B-17**

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱2,019	₱2,120	₱2,226	₱2,337	₱2,687
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,885	₱3,029	₱3,180	₱3,339	₱3,840

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 101/6019**

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,094	₱1,149	₱1,207	₱1,267	₱1,457
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱1,850	₱1,943	₱2,040	₱2,142	₱2,463

**KOBEWELD 7014**

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,620	₱1,701	₱1,786	₱1,875	₱2,157
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,399	₱2,519	₱2,645	₱2,778	₱3,194

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 6022**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm,
6.0mm X 350mm

20	₱2,506	₱2,631	₱2,762	₱2,901	₱3,336
----	--------	--------	--------	--------	--------

**KOBEWELD 6024**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm,
6.0mm X 350mm

20	₱2,312	₱2,428	₱2,549	₱2,677	₱3,078
----	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 6027**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm,
6.0mm X 350mm

20

₱2,506

₱2,631

₱2,762

₱2,901

₱3,336

**KOBEWELD 7024**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm,
6.0mm X 350mm

20

₱2,552

₱2,680

₱2,814

₱2,955

₱3,398

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 7028**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm,
6.0mm X 350mm

20	₱3,696	₱3,881	₱4,075	₱4,279	₱4,921
----	--------	--------	--------	--------	--------

**KOBEWELD 7048**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm,
6.0mm X 350mm

20	₱3,077	₱3,231	₱3,393	₱3,562	₱4,096
----	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 4303****SIZES:** (Diameter X Length)3.2mm, 4.0mm, 5.0mm,
6.0mm X 350mm

20

₱3,743

₱3,930

₱4,127

₱4,333

₱4,983

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 7018

SIZES: (Diameter X Length)

2.5mm X 350	10	₱1,194	₱1,254	₱1,317	₱1,383	₱1,590
3.2mm, 4.0mm, 5.0mm X 350	20	₱2,108	₱2,213	₱2,324	₱2,440	₱2,806



KOBEWELD 7016

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,228	₱1,289	₱1,353	₱1,421	₱1,634
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,073	₱2,176	₱2,285	₱2,399	₱2,759



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBOWELD 7016-AC

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,501	₱1,576	₱1,655	₱1,738	₱1,999
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,503	₱2,628	₱2,759	₱2,897	₱3,332



KOBOWELD 7018-AC

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,543	₱1,620	₱1,701	₱1,786	₱2,054
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,570	₱2,699	₱2,834	₱2,976	₱3,422

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 7016-G**

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,730	₱1,816	₱1,907	₱2,002	₱2,303
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,932	₱3,079	₱3,233	₱3,394	₱3,904

**KOBEWELD 7018-G**

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,730	₱1,816	₱1,907	₱2,002	₱2,303
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,932	₱3,079	₱3,233	₱3,394	₱3,904



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBOWELD 10016-G

SIZES: (Diameter X Length)

2.5mm X 350	10	₱2,128	₱2,234	₱2,346	₱2,463	₱2,832
3.2mm, 4.0mm, 5.0mm X 350	20	₱3,475	₱3,649	₱3,831	₱4,023	₱4,626



KOBOWELD 10018-M

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱2,128	₱2,234	₱2,346	₱2,463	₱2,832
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,475	₱3,649	₱3,831	₱4,023	₱4,626



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBOWELD 11016-G

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱2,278	₱2,392	₱2,511	₱2,637	₱3,032
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,480	₱3,654	₱3,837	₱4,029	₱4,633



KOBOWELD 11018-M

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱2,278	₱2,392	₱2,511	₱2,637	₱3,032
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,480	₱3,654	₱3,837	₱4,029	₱4,633

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBOWELD 12016-G

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱2,689	₱2,824	₱2,965	₱3,113	₱3,580
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,952	₱4,149	₱4,357	₱4,575	₱5,261



KOBOWELD 12018-G

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱2,689	₱2,824	₱2,965	₱3,113	₱3,580
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,952	₱4,149	₱4,357	₱4,575	₱5,261

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBOWELD 12018-M

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱2,689	₱2,824	₱2,965	₱3,113	₱3,580
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,952	₱4,149	₱4,357	₱4,575	₱5,261



KOBOWELD 7010-G

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱2,242	₱2,354	₱2,472	₱2,595	₱2,985
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,201	₱3,361	₱3,529	₱3,706	₱4,262

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBOWELD 7010-P

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱2,242	₱2,354	₱2,472	₱2,595	₱2,985
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,201	₱3,361	₱3,529	₱3,706	₱4,262



KOBOWELD 8010-G

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱2,465	₱2,588	₱2,718	₱2,854	₱3,282
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,522	₱3,698	₱3,883	₱4,077	₱4,688

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 8010-P

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱2,465	₱2,588	₱2,718	₱2,854	₱3,282
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,522	₱3,698	₱3,883	₱4,077	₱4,688



KOBEWELD 8016-G

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,758	₱1,846	₱1,938	₱2,035	₱2,340
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,961	₱4,159	₱4,367	₱4,585	₱5,273

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBOWELD 8018-G

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,758	₱1,846	₱1,938	₱2,035	₱2,340
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,961	₱4,159	₱4,367	₱4,585	₱5,273



KOBOWELD 9016-G

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,895	₱1,989	₱2,089	₱2,193	₱2,522
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,158	₱3,316	₱3,482	₱3,656	₱4,204

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 9018-G

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,895	₱1,989	₱2,089	₱2,193	₱2,522
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,158	₱3,316	₱3,482	₱3,656	₱4,204



KOBEWELD 9018-M

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,895	₱1,989	₱2,089	₱2,193	₱2,522
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱3,158	₱3,316	₱3,482	₱3,656	₱4,204

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD LB 26**

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,595	₱1,675	₱1,758	₱1,846	₱2,123
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,695	₱2,829	₱2,971	₱3,119	₱3,587

**KOBEWELD LB 52U**

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,718	₱1,804	₱1,894	₱1,989	₱2,287
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,902	₱3,047	₱3,199	₱3,359	₱3,863

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 8016-C1

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm X 350

20

₱3,720

₱3,906

₱4,101

₱4,306

₱4,952



KOBEWELD 8016-C2

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm X 350mm

20

₱3,909

₱4,104

₱4,309

₱4,525

₱5,204



KOBEWELD 8016-C3

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm X 350mm

20

₱4,079

₱4,283

₱4,497

₱4,722

₱5,430



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	

**KOBEWELD 8018-C1**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm X 350mm

20

₱3,153

₱3,310

₱3,476

₱3,650

₱4,197

**KOBEWELD 8018-C2**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm X 350mm

20

₱4,839

₱5,081

₱5,335

₱5,602

₱6,442

**KOBEWELD 8018-C3**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm X 350mm

20

₱2,964

₱3,112

₱3,267

₱3,431

₱3,945

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 7010 A1**

SIZES: (Diameter X Length)

3.2mm, 4.0mm,
5.0mm,6.0mm X 350mm

20

₱3,096

₱3,251

₱3,413

₱3,584

₱4,122

**KOBEWELD 7011 A1**

SIZES: (Diameter X Length)

3.2mm, 4.0mm,
5.0mm,6.0mm X 350mm

20

₱3,096

₱3,251

₱3,413

₱3,584

₱4,122

**KOBEWELD 7018 A1**

SIZES: (Diameter X Length)

3.2mm, 4.0mm,
5.0mm,6.0mm X 350mm

20

₱3,285

₱3,449

₱3,622

₱3,803

₱4,373



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 7018 A1**

SIZES: (Diameter X Length)

3.2mm, 4.0mm,
5.0mm,6.0mm X 350mm

20	₱3,285	₱3,449	₱3,622	₱3,803	₱4,373
----	--------	--------	--------	--------	--------

**KOBEWELD 8018 B1**

SIZES: (Diameter X Length)

3.2mm, 4.0mm,
5.0mm,6.0mm X 350mm

20	₱3,228	₱3,390	₱3,559	₱3,737	₱4,298
----	--------	--------	--------	--------	--------

**KOBEWELD 8018 B2**

SIZES: (Diameter X Length)

2.5mm X 350mm
3.2mm, 4.0mm, 5.0mm,
6.0mm

20	₱3,321	₱3,487	₱3,661	₱3,844	₱4,421
20	₱2,888	₱3,033	₱3,184	₱3,343	₱3,845

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE PRICE
			CASH	TERMS	CASH	TERMS	

**KOBEWELD 9018 B3**

SIZES: (Diameter X Length)

2.5mm X 350mm

3.2mm, 4.0mm, 5.0mm,
6.0mm

20	₱4,517	₱4,743	₱4,980	₱5,229	₱6,013
20	₱3,928	₱4,124	₱4,330	₱4,547	₱5,229

**KOBEWELD 10018 D2**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm,
6.0mm

20	₱4,476	₱4,699	₱4,934	₱5,181	₱5,958
----	--------	--------	--------	--------	--------

**KOBEWELD 7016 A1**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm,
6.0mm

20	₱2,983	₱3,132	₱3,288	₱3,453	₱3,971
----	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 8016 A1**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm,
6.0mm

20	₱3,342	₱3,509	₱3,684	₱3,868	₱4,449
----	--------	--------	--------	--------	--------

**KOBEWELD 8016 B1**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm,
6.0mm

20	₱3,342	₱3,509	₱3,684	₱3,868	₱4,449
----	--------	--------	--------	--------	--------

**KOBEWELD 9015-B9**

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm,
6.0mm

20	₱5,400	₱5,670	₱5,954	₱6,251	₱7,189
----	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 9016-B3

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm, 6.0mm



20	₱4,476	₱4,699	₱4,934	₱5,181	₱5,958
----	--------	--------	--------	--------	--------



KOBEWELD 10016 D2

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm, 6.0mm



20	₱4,476	₱4,699	₱4,934	₱5,181	₱5,958
----	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



NC-303



SIZES: (Diameter X Length)

2.5mm x 300mm	5	₱3,800	₱3,990	₱4,189	₱4,399	₱5,059
3.2mm, 4.0mm X350	5	₱3,454	₱3,627	₱3,808	₱3,999	₱4,598



NC-310Mo



SIZES: (Diameter X Length)

2.5mm x 300mm	5	₱6,418	₱6,739	₱7,076	₱7,430	₱8,544
3.2mm, 4.0mm X350	5	₱5,834	₱6,125	₱6,432	₱6,753	₱7,766

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**NC-316****SIZES:** (Diameter X Length)

2.5mm x 300mm	5	₱4,135	₱4,341	₱4,558	₱4,786	₱5,504
3.2mm, 4.0mm X350	5	₱3,758	₱3,946	₱4,144	₱4,351	₱5,003

**NC-317****SIZES:** (Diameter X Length)

2.5mm x 300mm	5	₱4,764	₱5,002	₱5,252	₱5,515	₱6,342
3.2mm, 4.0mm X350	5	₱4,331	₱4,547	₱4,775	₱5,013	₱5,765



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**NC-312****SIZES:** (Diameter X Length)

1.6mm x 300mm	1	₱1,648	₱1,730	₱1,817	₱1,908	₱2,194
2.0mm x 300mm	1	₱1,483	₱1,557	₱1,635	₱1,717	₱1,975
2.5mm x 300mm	1	₱906	₱952	₱999	₱1,049	₱1,207
3.2mm, 4.0mm x 350mm	1	₱824	₱866	₱909	₱954	₱1,097
2.0mm x 300mm	5	₱4,514	₱4,739	₱4,976	₱5,225	₱6,009
3.2mm, 4.0mm x 350mm	5	₱4,104	₱4,309	₱4,525	₱4,751	₱5,464

**NC-347L****SIZES:** (Diameter X Length)

2.0mm x 300mm	5	₱7,092	₱7,447	₱7,819	₱8,210	₱9,441
2.5mm x 300mm	5	₱4,334	₱4,550	₱4,778	₱5,017	₱5,769
3.2mm, 4.0mm x 350mm	5	₱3,940	₱4,137	₱4,344	₱4,561	₱5,245

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**NC-385****SIZES:** (Diameter X Length)

2.5mm x 300mm

5

₱8,126

₱8,532

₱8,959

₱9,407

₱10,818

3.2mm, 4.0mm x 350mm

5

₱7,387

₱7,757

₱8,144

₱8,552

₱9,834

**NC-430****SIZES:** (Diameter X Length)

2.5mm x 300mm

5

₱3,940

₱4,137

₱4,344

₱4,561

₱5,245

3.2mm, 4.0mm x 350mm

5

₱3,582

₱3,761

₱3,949

₱4,147

₱4,769

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**NC-502****SIZES:** (Diameter X Length)

2.5mm x 300mm	5	₱3,940	₱4,137	₱4,344	₱4,561	₱5,245
3.2mm, 4.0mm x 350mm	5	₱3,582	₱3,761	₱3,949	₱4,147	₱4,769

**NC-505****SIZES:** (Diameter X Length)

2.5mm x 300mm	5	₱3,940	₱4,137	₱4,344	₱4,561	₱5,245
3.2mm, 4.0mm x 350mm	5	₱3,582	₱3,761	₱3,949	₱4,147	₱4,769

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBOWELD 410**

SIZES: (Diameter X Length)

2.5mm x 300mm	5	₱3,940	₱4,137	₱4,344	₱4,561	₱5,245
3.2mm, 4.0mm x 350mm	5	₱3,582	₱3,761	₱3,949	₱4,147	₱4,769

**KOBOWELD 430**

SIZES: (Diameter X Length)

2.5mm x 300mm	5	₱3,940	₱4,137	₱4,344	₱4,561	₱5,245
3.2mm, 4.0mm x 350mm	5	₱3,582	₱3,761	₱3,949	₱4,147	₱4,769

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBOWELD 308Mo-16**

SIZES: (Diameter X Length)

2.5mm x 300mm	5	₱4,334	₱4,550	₱4,778	₱5,017	₱5,769
3.2mm, 4.0mm x 350mm	5	₱3,940	₱4,137	₱4,344	₱4,561	₱5,245

**KOBOWELD 385**

SIZES: (Diameter X Length)

2.5mm x 300mm	5	₱8,126	₱8,532	₱8,959	₱9,407	₱10,818
3.2mm, 4.0mm x 350mm	5	₱7,385	₱7,755	₱8,142	₱8,550	₱9,832

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 904L****SIZES:** (Diameter X Length)

2.5mm x 300mm	5	₱8,126	₱8,532	₱8,959	₱9,407	₱10,818
3.2mm, 4.0mm x 350mm	5	₱7,385	₱7,755	₱8,142	₱8,550	₱9,832

**KOBEWELD 2209****SIZES:** (Diameter X Length)

2.5mm x 300mm	5	₱6,825	₱7,166	₱7,524	₱7,900	₱9,086
3.2mm, 4.0mm x 350mm	5	₱6,205	₱6,515	₱6,841	₱7,183	₱8,260



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBOWELD 2594**

SIZES: (Diameter X Length)

2.5mm x 300mm	5	₱8,443	₱8,865	₱9,308	₱9,774	₱11,240
3.2mm, 4.0mm x 350mm	5	₱7,675	₱8,059	₱8,462	₱8,885	₱10,218

**KOBOWELD 310**

SIZES: (Diameter X Length)

1.6mm x 300mm	1	₱1,996	₱2,096	₱2,201	₱2,311	₱2,657
2.0mm x 300mm	1	₱1,796	₱1,886	₱1,981	₱2,080	₱2,391
2.5mm x 300mm	5	₱5,488	₱5,763	₱6,051	₱6,353	₱7,306
3.2mm, 4.0mm x 350mm	5	₱4,987	₱5,236	₱5,498	₱5,773	₱6,639



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBOWELD 316L

SIZES: (Diameter X Length)

1.6mm x 300mm	1	₱1,589	₱1,669	₱1,752	₱1,840	₱2,116
2.0mm x 300mm	1	₱1,431	₱1,503	₱1,578	₱1,657	₱1,905
2.5mm x 300mm	1	₱875	₱919	₱964	₱1,013	₱1,165
3.2mm, 4.0mm x 350mm	1	₱795	₱834	₱876	₱920	₱1,058
2.5mm x 300mm	5	₱4,356	₱4,574	₱4,802	₱5,043	₱5,799
3.2mm, 4.0mm x 350mm	5	₱3,956	₱4,153	₱4,361	₱4,579	₱5,266



KOBOWELD 308

SIZES: (Diameter X Length)

1.6mm x 300mm	1	₱558	₱586	₱615	₱646	₱743
2.0mm x 300mm	1	₱511	₱537	₱564	₱592	₱681
2.5mm x 300mm	1	₱439	₱461	₱484	₱508	₱585
3.2mm, 4.0mm x 350mm	1	₱432	₱454	₱476	₱500	₱575
2.5mm x 300mm	5	₱2,178	₱2,287	₱2,401	₱2,521	₱2,900
3.2mm, 4.0mm x 350mm	5	₱2,142	₱2,249	₱2,362	₱2,480	₱2,852

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 308L**

SIZES: (Diameter X Length)

1.6mm x 300mm	1	₱730	₱766	₱805	₱845	₱972
2.0mm x 300mm	1	₱646	₱679	₱712	₱748	₱860
2.5mm x 300mm	5	₱3,204	₱3,364	₱3,532	₱3,709	₱4,265
3.2mm, 4.0mm x 350mm	5	₱3,165	₱3,324	₱3,490	₱3,664	₱4,214

**KOBEWELD 308R**

SIZES: (Diameter X Length)

2.5mm x 300mm	1	₱388	₱407	₱428	₱449	₱516
3.2mm x 350mm	1	₱368	₱387	₱406	₱426	₱490
2.5mm x 300mm	5	₱1,922	₱2,018	₱2,118	₱2,224	₱2,558
3.2mm, 4.0mm x 350mm	5	₱1,823	₱1,914	₱2,009	₱2,110	₱2,426

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBOWELD 308W**

SIZES: (Diameter X Length)

2.5mm x 300mm	1	₱408	₱428	₱449	₱472	₱543
3.2mm, 4.0mm x 350mm	1	₱386	₱405	₱426	₱447	₱514
2.5mm x 300mm	5	₱2,021	₱2,122	₱2,228	₱2,339	₱2,690
3.2mm, 4.0mm x 350mm	5	₱1,913	₱2,008	₱2,109	₱2,214	₱2,546

**KOBOWELD 275**

SIZES: (Diameter X Length)

2.5mm x 300mm	1	₱1,057	₱1,109	₱1,165	₱1,223	₱1,407
3.2mm, 4.0mm x 350mm	1	₱960	₱1,008	₱1,059	₱1,112	₱1,278

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 303**

SIZES: (Diameter X Length)

2.5mm x 300mm	5	₱3,800	₱3,990	₱4,189	₱4,399	₱5,059
3.2mm, 4.0mm x 350mm	5	₱3,454	₱3,627	₱3,808	₱3,999	₱4,598

**KOBEWELD 307**

SIZES: (Diameter X Length)

2.5mm x 300mm	5	₱3,335	₱3,501	₱3,676	₱3,860	₱4,439
3.2mm, 4.0mm x 350mm	5	₱3,031	₱3,183	₱3,342	₱3,509	₱4,035

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 253MA****SIZES:** (Diameter X Length)

2.5mm x 300mm	5	₱5,531	₱5,807	₱6,097	₱6,402	₱7,363
3.2mm, 4.0mm x 350mm	5	₱5,027	₱5,279	₱5,543	₱5,820	₱6,693

**KOBEWELD 309/309L****SIZES:** (Diameter X Length)

1.6mm x 300mm	1	₱1,563	₱1,641	₱1,724	₱1,810	₱2,081
2.0mm x 300mm	1	₱1,407	₱1,477	₱1,551	₱1,628	₱1,873
2.5mm x 300mm	5	₱4,299	₱4,514	₱4,740	₱4,977	₱5,724
3.2mm, 4.0mm x 350mm	5	₱3,909	₱4,104	₱4,309	₱4,525	₱5,204

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 309Mo/309MoL

SIZES: (Diameter X Length)

2.5mm x 300mm	5	₱4,609	₱4,839	₱5,081	₱5,335	₱6,136
3.2mm, 4.0mm x 350mm	5	₱4,190	₱4,399	₱4,619	₱4,850	₱5,577

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



K-NiCrFe-1

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350	1	₱4,309	₱4,525	₱4,751	₱4,988	₱5,737
3.2mm, 4.0mm, 5.0mm X 350	20	₱2,101	₱2,206	₱2,316	₱2,432	₱2,796



K-NiCrFe-2

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350	1	₱4,309	₱4,525	₱4,751	₱4,988	₱5,737
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,039	₱2,140	₱2,247	₱2,360	₱2,714

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



K-NiCrFe-3

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350

1

₱4,082

₱4,287

₱4,501

₱4,726

₱5,435



K-NiCrFe-4

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350

1

₱4,309

₱4,525

₱4,751

₱4,988

₱5,737



K-NiCrFe-7

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350

1

₱4,309

₱4,525

₱4,751

₱4,988

₱5,737

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



K-NiCrFe-7

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350

1 ₱4,309 ₱4,525 ₱4,751 ₱4,988 ₱5,737



K-NiCrMo-2

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350

1 ₱4,536 ₱4,763 ₱5,001 ₱5,251 ₱6,039



K-NiCrMo-3

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350

1 ₱4,480 ₱4,704 ₱4,939 ₱5,186 ₱5,964

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



K-NiCrMo-4

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350	1	₱4,480	₱4,704	₱4,939	₱5,186	₱5,964
---------------------------	---	--------	--------	--------	--------	--------



K-NiCrMo-5

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350	1	₱4,788	₱5,027	₱5,279	₱5,543	₱6,374
---------------------------	---	--------	--------	--------	--------	--------



K-NiCu-7

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350	1	₱3,686	₱3,871	₱4,064	₱4,267	₱4,908
---------------------------	---	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



K-NiMo-1

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350 1 ₱4,536 ₱4,763 ₱5,001 ₱5,251 ₱6,039



K-NiMo-3

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350 1 ₱4,536 ₱4,763 ₱5,001 ₱5,251 ₱6,039



K-NiMo-7

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350 1 ₱4,536 ₱4,763 ₱5,001 ₱5,251 ₱6,039

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**K-NiCrMo-10**

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350

1

₱4,707

₱4,942

₱5,189

₱5,449

₱6,266

**K-NiCrMo-14**

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350

1

₱4,707

₱4,942

₱5,189

₱5,449

₱6,266

**N-NiCrCoMo-1**

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350

1

₱4,990

₱5,239

₱5,501

₱5,776

₱6,642

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



N-CuNi

SIZES: (Diameter X Length)

2.5mm, 3.2mm, 4.0mm x 350	1	₱3,686	₱3,871	₱4,064	₱4,267	₱4,908
---------------------------	---	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 350B (RUTILE)

SIZES: (Diameter X Length)

2.5mm, X 350	5	₱1,067	₱1,120	₱1,176	₱1,235	₱1,420
3.2mm, 4.0mm, 5.0mm	5	₱927	₱973	₱1,022	₱1,073	₱1,234



KOBEWELD 380B (RUTILE)

SIZES: (Diameter X Length)

3.2mm, 4.0mm, 5.0mm X 350mm	5	₱854	₱897	₱942	₱989	₱1,137
-----------------------------	---	------	------	------	------	--------



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



K-400 (LOW HYDRO)

SIZES: (Diameter X Length)

2.5mm, X 350

3.2mm, 4.0mm, 5.0mm



5	₱1,026	₱1,077	₱1,131	₱1,188	₱1,366
5	₱892	₱936	₱983	₱1,032	₱1,187



KOBOWELD 600B (RUTILE)

SIZES: (Diameter X Length)

2.5mm X350

3.2mm, 4.0mm, 5.0mm X 350



5	₱3,960	₱4,158	₱4,366	₱4,584	₱5,272
5	₱3,443	₱3,616	₱3,796	₱3,986	₱4,584



KOBOWELD 700B (RUTILE)

SIZES: (Diameter X Length)

2.5mm, X 350

3.2mm, 4.0mm, 5.0mm



5	₱4,128	₱4,335	₱4,551	₱4,779	₱5,496
5	₱3,590	₱3,770	₱3,958	₱4,156	₱4,779

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD NIDURIT 60/710

SIZES: (Diameter & Length)

3.2mm, 4.0mm 5.0mm X350	5	₱3,159	₱3,317	₱3,483	₱3,657	₱4,205
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱2,885	₱3,029	₱3,180	₱3,339	₱3,840



KOBEWELD NIDURIT 61/711

SIZES: (Diameter & Length)

3.2mm, 4.0mm 5.0mm X350	5	₱3,205	₱3,365	₱3,533	₱3,710	₱4,267
-------------------------	---	--------	--------	--------	--------	--------



KOBEWELD NIDURIT 65/713

SIZES: (Diameter & Length)

3.2mm, 4.0mm 5.0mm X350	5	₱6,479	₱6,803	₱7,143	₱7,500	₱8,625
-------------------------	---	--------	--------	--------	--------	--------



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD RAIL 280 (LOW HYDRO)

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350



5	₱855	₱898	₱943	₱990	₱1,138
---	------	------	------	------	--------



KOBEWELD 300 (LOW HYDRO)

SIZES: (Diameter & Length)

2.5mm X 350

3.2mm, 4.0mm, 5.0mm
X 350



5	₱1,200	₱1,260	₱1,323	₱1,389	₱1,597
5	₱1,043	₱1,095	₱1,150	₱1,208	₱1,389



KOBEWELD 400 (LOW HYDRO)

SIZES: (Diameter & Length)

2.5mm X 350

3.2mm, 4.0mm, 5.0mm
X 350



5	₱1,026	₱1,077	₱1,131	₱1,188	₱1,366
5	₱892	₱936	₱983	₱1,032	₱1,187

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 450 (LOW HYDRO)

SIZES: (Diameter & Length)

2.5mm X 350	5	₱1,076	₱1,129	₱1,186	₱1,245	₱1,432
3.2mm, 4.0mm, 5.0mm X 350	5	₱935	₱982	₱1,031	₱1,082	₱1,245



KOBEWELD 400B (RUTILE)

SIZES: (Diameter & Length)

2.5mm X 350	5	₱1,048	₱1,100	₱1,155	₱1,213	₱1,395
3.2mm, 4.0mm, 5.0mm X 350	5	₱911	₱956	₱1,004	₱1,054	₱1,213



KOBEWELD 6K (LOW HYDRO)

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350	5	₱892	₱936	₱983	₱1,032	₱1,187
--------------------	---	------	------	------	--------	--------



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 600R/650B (RUTILE)

SIZES: (Diameter & Length)

2.5mm X 350	5	₱1,315	₱1,381	₱1,450	₱1,522	₱1,750
3.2mm, 4.0mm, 5.0mm X 350	5	₱1,143	₱1,200	₱1,260	₱1,323	₱1,522



KOBEWELD 650LH (LOW HYDRO)

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350	5	₱4,686	₱4,921	₱5,167	₱5,425	₱6,239
--------------------	---	--------	--------	--------	--------	--------



KOBEWELD 670 (LOW HYDRO)

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350	5	₱2,026	₱2,127	₱2,234	₱2,345	₱2,697
--------------------	---	--------	--------	--------	--------	--------



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 6700 (LOW HYDRO)

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350



5	₱2,026	₱2,127	₱2,234	₱2,345	₱2,697
---	--------	--------	--------	--------	--------



KOBEWELD 700 (LOW HYDRO)

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350

3.2mm, 4.0mm, 5.0mm
X 350



5	₱1,315	₱1,381	₱1,450	₱1,522	₱1,750
5	₱1,143	₱1,200	₱1,260	₱1,323	₱1,522



KOBEWELD 800

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350



5	₱1,776	₱1,864	₱1,958	₱2,056	₱2,364
---	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 950

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350	5	₱1,790	₱1,880	₱1,974	₱2,072	₱2,383
--------------------	---	--------	--------	--------	--------	--------



KOBEWELD 30CRS

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350	5	₱3,995	₱4,195	₱4,405	₱4,625	₱5,319
--------------------	---	--------	--------	--------	--------	--------



KOBEWELD 33CRS

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350	5	₱6,788	₱7,127	₱7,484	₱7,858	₱9,036
--------------------	---	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 43

SIZES: (Diameter & Lenght)

3.2mm, 4.0mm X 350	5	₱3,132	₱3,289	₱3,453	₱3,626	₱4,170
--------------------	---	--------	--------	--------	--------	--------



KOBEWELD 45

SIZES: (Diameter & Lenght)

3.2mm, 4.0mm X 350	5	₱6,640	₱6,972	₱7,321	₱7,687	₱8,840
--------------------	---	--------	--------	--------	--------	--------



KOBEWELD 716

SIZES: (Diameter & Lenght)

3.2mm, 4.0mm X 350	5	₱2,399	₱2,519	₱2,645	₱2,778	₱3,194
--------------------	---	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 750LH

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350	5	₱2,889	₱3,033	₱3,185	₱3,344	₱3,846
--------------------	---	--------	--------	--------	--------	--------



KOBEWELD NIDURIT
63/6006

SIZES: (Diameter & Length)

3.2mm, 4.0mm X 350	5	₱5,104	₱5,359	₱5,627	₱5,908	₱6,795
--------------------	---	--------	--------	--------	--------	--------



KOBEWELD ABRASUR
V1000

SIZES: (Diameter & Length)

3.2mm, 4.0mm, 5.0mm X 350	5	₱4,635	₱4,867	₱5,110	₱5,366	₱6,170
------------------------------	---	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBOWELD 260B (MACHINABLE)

SIZES: (Diameter & Length)

2.5mm X 350	5	₱1,058	₱1,111	₱1,167	₱1,225	₱1,409
3.2mm, 4.0mm, 5.0mm X 350	5	₱921	₱967	₱1,015	₱1,066	₱1,226



KOBOWELD 600 (NON-MACHINABLE)

SIZES: (Diameter & Length)

2.5mm X 350	5	₱1,629	₱1,710	₱1,796	₱1,886	₱2,169
3.2mm, 4.0mm, 5.0mm X 350	5	₱1,417	₱1,487	₱1,562	₱1,640	₱1,886



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 300B (MACHINABLE)

SIZES: (Diameter & Length)

2.5mm X 350	5	₱1,265	₱1,328	₱1,394	₱1,464	₱1,683
3.2mm, 4.0mm, 5.0mm X 350	5	₱1,100	₱1,155	₱1,213	₱1,273	₱1,464



KOBEWELD STELLITE 1

SIZES: (Diameter X Length)

3.2mm X 350	1	₱3,988	₱4,187	₱4,397	₱4,617	₱5,309
4.0mm X 350	1	₱3,800	₱3,990	₱4,190	₱4,399	₱5,059



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD STELLITE 12

SIZES: (Diameter X Length)

3.2mm X 350	1	₱4,187	₱4,396	₱4,616	₱4,847	₱5,574
4.0mm X 350	1	₱4,000	₱4,200	₱4,410	₱4,631	₱5,325



KOBEWELD STELLITE 6

SIZES: (Diameter X Length)

3.2mm X 350	1	₱3,988	₱4,187	₱4,397	₱4,617	₱5,309
4.0mm X 350	1	₱3,800	₱3,990	₱4,190	₱4,399	₱5,059

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD C-10/C-25 (NON-MACHINABLE)

SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm	1	₱257	₱269	₱283	₱297	₱341
3.2mm, 4.0mm x 350mm	5	₱1,265	₱1,328	₱1,394	₱1,464	₱1,683



KOBEWELD C-50 (MACHINABLE)

SIZES: (Diameter X Length)

2.5 x 300mm	1	₱3,100	₱3,255	₱3,417	₱3,588	₱4,126
3.2mm, 4.0mm x 350mm	1	₱2,583	₱2,712	₱2,848	₱2,990	₱3,439

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBOWELD C-9258 (MACHINABLE)

SIZES: (Diameter X Length)

2.5 x 300mm	1	₱3,905	₱4,100	₱4,305	₱4,521	₱5,199
3.2mm, 4.0mm x 350mm	1	₱3,255	₱3,418	₱3,589	₱3,768	₱4,334



KOBOWELD C-116 (MACHINABLE)

SIZES: (Diameter X Length)

2.5 x 300mm	1	₱3,600	₱3,780	₱3,969	₱4,167	₱4,793
3.2mm, 4.0mm x 350mm	1	₱3,001	₱3,151	₱3,308	₱3,474	₱3,995



KOBOWELD FeNi

SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm	1	₱2,325	₱2,441	₱2,563	₱2,691	₱3,095
----------------------	---	--------	--------	--------	--------	--------



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBELWELD C-100 (MACHINABLE)

SIZES: (Diameter X Length)

2.5 x 300mm	1	₱4,318	₱4,534	₱4,761	₱4,999	₱5,749
3.2mm, 4.0mm x 350mm	1	₱3,598	₱3,778	₱3,967	₱4,165	₱4,790



KOBELWELD C-115 (MACHINABLE)

SIZES: (Diameter X Length)

2.5 x 300mm	1	₱4,318	₱4,534	₱4,761	₱4,999	₱5,749
3.2mm, 4.0mm x 350mm	1	₱3,598	₱3,778	₱3,967	₱4,165	₱4,790



KOBELWELD Ni

SIZES: (Diameter X Length)

3.2 x 300mm	1	₱3,239	₱3,401	₱3,571	₱3,750	₱4,312
-------------	---	--------	--------	--------	--------	--------



ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD C-112 (NON- CONDUCTIVE)



SIZES: (Diameter X Length)

2.5 x 300mm	1	₱4,723	₱4,959	₱5,207	₱5,468	₱6,288
3.2mm, 4.0mm x 350mm	1	₱3,937	₱4,133	₱4,340	₱4,557	₱5,241



KOBEWELD NICKELCAST



SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm	1	₱3,942	₱4,139	₱4,346	₱4,563	₱5,248
----------------------	---	--------	--------	--------	--------	--------



KOBEWELD SUPERCAST



SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm	1	₱4,945	₱5,192	₱5,451	₱5,724	₱6,583
----------------------	---	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBWELD Cu / Cu 39

SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm



1

₱1,491

₱1,566

₱1,644

₱1,726

₱1,985



KOBWELD CuAl-A1

SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm



1

₱1,280

₱1,344

₱1,411

₱1,482

₱1,704



KOBWELD CuAl-A2

SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm



1

₱1,280

₱1,344

₱1,411

₱1,482

₱1,704

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD CuAl-B**

SIZES: (Diameter X Length)
3.2mm, 4.0mm x 350mm

1

₱1,280

₱1,344

₱1,411

₱1,482

₱1,704

**KOBEWELD CuMnNiAl**

SIZES: (Diameter X Length)
3.2mm, 4.0mm x 350mm

1

₱3,191

₱3,351

₱3,519

₱3,694

₱4,249

**KOBEWELD CuSn-A
(DC)**

SIZES: (Diameter X Length)
3.2mm, 4.0mm x 350mm

1

₱1,244

₱1,306

₱1,371

₱1,440

₱1,656

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBOWELD CuSn-C (AC/DC)

SIZES: (Diameter X Length)

2.5mm x 300mm	1	₱1,368	₱1,436	₱1,508	₱1,584	₱1,821
3.2mm, 4.0mm x 350mm	1	₱1,244	₱1,306	₱1,371	₱1,440	₱1,656



KOBOWELD NSB

SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm	1	₱1,280	₱1,344	₱1,411	₱1,482	₱1,704
----------------------	---	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD AL12

SIZES: (Diameter X Length)

2.5mm x 350mm	1	₱2,922	₱3,068	₱3,222	₱3,383	₱3,890
3.2mm, 4.0mm x 350mm	1	₱2,435	₱2,557	₱2,685	₱2,819	₱3,242



KOBEWELD AL4

SIZES: (Diameter X Length)

2.5mm x 350mm	1	₱2,428	₱2,550	₱2,677	₱2,811	₱3,233
3.2mm, 4.0mm x 350mm	1	₱2,023	₱2,124	₱2,231	₱2,342	₱2,693

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD AI**

SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm

1	₱3,231	₱3,393	₱3,562	₱3,740	₱4,301
---	--------	--------	--------	--------	--------

**KOBEWELD AIMn**

SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm

1	₱3,231	₱3,393	₱3,562	₱3,740	₱4,301
---	--------	--------	--------	--------	--------

**KOBEWELD AL43**

SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm

1	₱1,922	₱2,019	₱2,119	₱2,225	₱2,559
---	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD HYDRO 4031

SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm

1

₱1,659

₱1,742

₱1,829

₱1,920

₱2,208



KOBEWELD HYDRO 1670

SIZES: (Diameter X Length)

3.2mm, 4.0mm x 350mm

1

₱2,957

₱3,105

₱3,261

₱3,424

₱3,937

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD
HYDROCUT

SIZES: (Diameter X Length)						
3.2mm, 4.0mm x 350mm	1	₱1,947	₱2,044	₱2,146	₱2,254	₱2,592

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE



KOBEWELD 7016-W

SIZES: (Diameter X Length)
3.2mm, 4.0mm, 5.0mm,
6.0mm X 350

20	₱3,017	₱3,168	₱3,326	₱3,492	₱4,016
----	--------	--------	--------	--------	--------



KOBEWELD 7016-WCr

SIZES: (Diameter X Length)
3.2mm, 4.0mm, 5.0mm,
6.0mm X 350

20	₱3,318	₱3,484	₱3,658	₱3,841	₱4,418
----	--------	--------	--------	--------	--------

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR		DEALER		SUGGESTED END USER PRICE
			CASH	TERMS	CASH	TERMS	PRICE

**KOBEWELD 7018-W**

SIZES: (Diameter X Length)
3.2mm, 4.0mm, 5.0mm,
6.0mm X 350



20	₱3,017	₱3,168	₱3,326	₱3,492	₱4,016
----	--------	--------	--------	--------	--------

**KOBEWELD 8018-W**

SIZES: (Diameter X Length)
3.2mm, 4.0mm, 5.0mm,
6.0mm X 350



20	₱3,409	₱3,580	₱3,759	₱3,947	₱4,539
----	--------	--------	--------	--------	--------

MACTAN BRIDGE

WELDING ELECTRODES




MACTAN BRIDGE

WELDING ELECTRODES



CARBON STEEL

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR	SUGGESTED END USER PRICE
			CASH	TERMS



MACTAN BRIDGE 6011

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱1,017.00	₱1,353.00
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱1,700.00	₱1,955.00



MACTAN BRIDGE 6012

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱725.00	₱833.00
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱1,250.00	₱1,437.00

ELECTRODE TYPES AND SIZES	CODE #.	KGS. /BOX	DISTRIBUTOR	SUGGESTED END USER PRICE
			CASH	TERMS



MACTAN BRIDGE 6013

SIZES: (Diameter X Length)

2.5mm X 350mm	10	₱635.00	₱720.00
3.2mm, 4.0mm, 5.0mm X 350mm	20	₱1,150.00	₱1,322.00



MACTAN BRIDGE 7018

SIZES: (Diameter X Length)

2.5mm X 350	10	₱988.00	₱1,315.00
3.2mm, 4.0mm, 5.0mm X 350	20	₱1,743.00	₱2,320.00